

A

A

B

B

C






5



	L

[illegible]

TV with Stand (Inside for Soundbar)




TOLERANCE UNLESS OTHERWISE SPECIFIED (mm)			MODEL: X-480A0		PROJ: 3D: 00.26K240D.X-480L.A0		UNIT: 2D: 2K76.SONY.X-480L.4-VIEWS	
RANGE OF DIM.	METAL & PLASTIC	POLYFOAM	CARTON	UNIT (mm)	TOLERANCES UNLESS OTHERWISE SPECIFIED	UNIT		
0-30	±0.10			SCALE	DIMENSIONS: ANGLE	TEMPERATURE		
30-60	±0.15			1:000	3-r PROJ.			
60-120	±0.20	±0.2, 0	±2.0/-0					
120-300	±0.25							
300-600	±0.30							
600-1200	±0.40	±0.3, 3.0	±0.7, 3.0					
1200-UPON	±0.50	±0.4, 0	±0.7, 4.0					
ANGLE (SHEET METAL)				±0.5°				
Internal Diameter of Plastic Screw Boss				±0.05				
DRAWN				DATE		24-Feb-20		
CHECK				DATE		TPV Technology Ltd.		
						5-3 AO		
						TPV		






TV Only


REVISION LIST							
ITEM	ECN NO.	POSITION	DESCRIPTION WAS	IS	DATE	UPDATED BY	APPROVED BY



SEE DETAIL A




SCALE 1.000



M6 HOLES FOR WALL MOUNT BRACKET
*REFER TO INSTRUCTUION MANUAL FOR SCREW LENGTH INFORMATION

M6 HOLES FOR SECURING HARDWARE
(BELT, ROPE OR CHAIN)







TOLERANCE UNLESS OTHERWISE SPECIFIED (mm)				UNIT		TOLERANCES UNLESS OTHERWISE STATED		MODEL: K-48A60		PROJ 3D: 00.2K260LED-K-480L-ALL		PROJ 2D: 2K26.SONY-K-480L-6-VIEWS	
RANGE OF DIM.	METAL & PLASTIC	POLYFOAM	CARTON	mm		DIMENSIONS	ANGLE						
0-30	±0.10												
30-60	±0.15												
60-120	±0.20												
120-300	±0.25												
300-600	±0.30												
600-1200	±0.40												
1200-UPON	±0.50												
ANGLE (SHEET METAL)	±0.5°												
Internal Diameter of Plastic Screw Boss				±0.05									
DRAWN				DATE				24-Feb-26				TPV Technology Ltd.	
CHECK				DATE								TPV TV	

REVISION LIST				DATE	UPDATED BY	APPROVED BY
ITEM	ECN NO.	POSITION	DESCRIPTION WAS			

SU-WL450

STANDARD

SLIM



MODEL: K-480L		PROJ. 3D: 00.2K290LED_K-480L_ALL		PROJ. 2D: 2K26.SONY_K-480L-6-VIEWS	
UNIT	TOLERANCES UNLESS OTHERWISE STATED	DIMENSIONS	ANGLE	DATE	DATE
mm	mm	mm	mm	DATE	DATE
SCALE	3/4 PROJ.	1.000	1.000	DATE	DATE
SONY 48 6-VIEWS Drawing				DATE	DATE
DRAWN				DATE	DATE
CHECK				DATE	DATE
TOLERANCE UNLESS OTHERWISE SPECIFIED (mm)				DATE	DATE
RANGE OF DIM.	METAL & PLASTIC	POLYFOAM	CARTON	DATE	DATE
0-30	±0.10			DATE	DATE
30-60	±0.15			DATE	DATE
60-120	±0.20			DATE	DATE
120-300	±0.25			DATE	DATE
300-600	±0.30			DATE	DATE
600-1200	±0.40			DATE	DATE
1200-UPON	±0.50			DATE	DATE
ANGLE (SHEET METAL)	±0.5°			DATE	DATE
Internal Diameter of Plastic Screw Boss				DATE	DATE
±0.05				DATE	DATE

TPV Technology Ltd.